




float\_fx\_locker



Closed locker	Open locker containing a brown bag	Closed locker
Closed locker	Closed locker	Closed locker
Closed locker	Closed locker	Open locker containing a basketball



## Rich in detail.



## Attractive storage space.



### *float\_fx\_locker*

The *float\_fx\_locker* is a minimalist, stylish cabinet locker system specially developed for co-working, desk-sharing and temporary work in open space offices. The individual modules in double and triple combinations can be assembled as building blocks and thus be used for a large number of people. The hinged door fronts of the individual compartments are available in different variants: either with push-to-open mechanism or recessed handles – optionally secured via combination lock. Further options are compartment numbers and letter slots. For even greater design effects, fronts in different colours can be combined individually.

# Optional.



4804-084 Cabinet 2 x 4 W 892 / D 520 / H 1996	4803-084 Cabinet 2 x 3 W 892 / D 520 / H 1570	4802-124 Cabinet 3 x 2 W 1319 / D 520 / H 1144
--	--	---



4804-124 Cabinet 3 x 4 B 1319 / D 520 / H 1996	4803-124 Cabinet 3 x 3 W 1319 / D 520 / H 1570	Combination lock	Mail slot	Recessed handle
---	---	------------------	-----------	-----------------

## Standard model:

### Hinged Doors:

Choice of laminate (MFC) or HPL top with seamless, moisture resistant laser edge (ABS edge D32 anthracite). Always hinged right.

### Body and back panel:

Laminate (MFC) with ABS laser edge D32 anthracite.

### Cover plate upper shelf and sides:

Laminate (MFC) with ABS laser edge.

### Legs:

Tubular steel 30/30 mm, metal surface powder-coated 38M anthracite, adjustable plastic glides, height-adjustable to 10 mm.

### Materials:

Seamless, moisture resistant laser edge (ABS edge 2 mm).

Laminate (MFC): melamine faced chipboard DIN 68765, OENORM/EN 14322, emission category E1.

HPL (High Pressure Laminates): Natural fibres (60 %) and synthetic resins. High pressure laminates conform to European Standard ÖNORM/EN 438, HPL Fenix conforms to EN 438-2, EN ISO 178 and EN 61340-4-1.

Material thickness: Hinged door: 16 mm. Sides, upper and lower shelf: 19 mm.

Cover plate: 19 mm. Back panel: 8 mm.

Plastic parts: uni-type, compound-free, PVC-free.

### Handle (optional):

Recessed handle, anthracite plastic. Background analogous to the colour of the door.

### Handleless (optional):

Push-to-open.

### Combination lock (optional):

Black plastic.

### Numbering (optional):

Colour anthracite, number range 1 to 48. Only possible in combination with recessed handle.

### Mail slot (optional):


Anthracite plastic.

### Shelf for mail slot (optional):


Sheet steel, anthracite powder-coated.

### Safeguard against tilting:


Obligatory tilt protection: Cabinets and cabinet module 2 x 4 and 3 x 4: wall-mounted or bolted back to back.




4803-084 Cabinet 2 x 3	4804-084 Cabinet 2 x 4	4802-124 Cabinet 3 x 2	4803-124 Cabinet 3 x 3	4804-124 Cabinet 3 x 4
------------------------	------------------------	------------------------	------------------------	------------------------



4812-084 module 2 x 2 cover plate left side	4822-084 module 2 x 2 middle	4832-084 module 2 x 2 cover plate right side	4812-124 module 3 x 2 cover plate left side	4822-124 module 3 x 2 middle	4832-124 module 3 x 2 cover plate right side
--	---------------------------------	---	--	---------------------------------	---



4813-084 module 2 x 3 cover plate left side	4823-084 module 2 x 3 middle	4833-084 module 2 x 3 cover plate right side	4813-124 module 3 x 3 cover plate left side	4823-124 module 3 x 3 middle	4833-124 module 3 x 3 cover plate right side
--	---------------------------------	---	--	---------------------------------	---



4814-084 module 2 x 4 cover plate left side	4824-084 module 2 x 4 middle	4834-084 module 2 x 4 cover plate right side	4814-124 module 3 x 4 cover plate left side	4824-124 module 3 x 4 middle	4834-124 module 3 x 4 cover plate right side
--	---------------------------------	---	--	---------------------------------	---



4800 Hinged door

# Perfect Partners.



*motiv\_s*



*colin*



*etio bench*

A-4950 Altheim  
Linzer Strasse 22  
T +43 (7723) 460-0  
altheim@wiesner-hager.com

D-97080 Würzburg  
Schürerstrasse 3  
T +49 (931) 3 55 85-0  
wuerzburg@wiesner-hager.com

NL-6102 BJ Echt  
Houtstraat 32 H  
T +31 (475) 41 02 22  
benelux@wiesner-hager.com

F-67201 Eckbolsheim  
13, rue Ettore Bugatti  
T +33 (3) 88 59 90 90  
F +33 (3) 88 59 90 89  
france@wiesner-hager.com

United Kingdom/Ireland  
london@wiesner-hager.com

CZ-150 00 Praha 5  
Drtinova 557/10  
T +420 271 730 444  
praha@wiesner-hager.com

Certified acc. to:  
ISO 9001, ISO 14001  
and ISO 14025